Application No.: 10/585,411 Docket No.: 3566-0113PUS1
Reply to Office Action of July 6, 2010 Page 3 of 13

AMENDMENTS TO THE CLAIMS

1-13. (Cancelled)

- 14. (Previously Presented) A tape supplier comprising:
- a tape cassette having a tape roll with a plurality of tapes inserted between two sheets, the tape cassette including:
 - a first rotational shaft rotatably supporting the tape roll;
 - a second rotational shaft configured to collect one of the two sheets by winding the same in a roll about the second rotational shaft;
 - a third rotational shaft configured to collect the other of the two sheets by winding the same in a roll about the third rotational shaft; and
 - a tape ejection roller assembly outwardly ejecting individual tapes of the plurality of tapes from which the two sheets are removed, the tape ejector roller assembly contacting only said individual tapes and not said sheets; and
- a tape cassette driver driving the tape cassette, the tape cassette driver being configured to drive the second and third rotational shafts.
- 15. (Previously Presented) The tape supplier according to claim 14, further comprising idle roller shafts provided in the vicinity of the tape ejection roller assembly to simultaneously pass through the two sheets and the tapes.
- 16. (Previously Presented) The tape supplier according to claim 14, wherein the second and third rotational shafts are simultaneously driven by a timing belt.
- 17. (Previously Presented) The tape supplier according to claim 14, wherein the second and third rotational shafts have a rotational speed different from each other.
 - 18. (Cancelled)

Application No.: 10/585,411 Docket No.: 3566-0113PUS1 Page 4 of 13

Reply to Office Action of July 6, 2010

19. (Previously Presented) The tape supplier according to claim 14, wherein one of the second and third rotational shafts, which has a rotational speed faster than the other, includes

torque limiter means.

20. (Previously Presented) The tape supplier according to claim 19, wherein the torque

limiter means are resilient arms.

21. (Previously Presented) The tape supplier according to claim 14, wherein the tape

ejection roller assembly includes a tape feeding roller, and the individual tapes are outwardly

ejected by the feeding roller.

22. (Currently Amended) The tape supplier according to any one of claims 14 to 21,

wherein the tape roll is fixed to a first fork pipe having a through hole at the center, ends of the

sheets are respectively fixed to second and third fork pipes, each of the second and third fork

pipes having a through hole at the center, and the first to third fork pipes are fixed into an

external removable box which is configured to allow the first, second and third fork pipes to be

respectively fixed to the first, second and third rotational shafts through the respective through

holes.

23. (Currently Amended) A tape supplier comprising The tape supplier according to

claim 14, wherein the tape cassette driver includes:

a tape cassette having a tape roll with a plurality of tapes inserted between two sheets, the

tape cassette including:

a first rotational shaft rotatably supporting the tape roll;

a second rotational shaft configured to collect one of the two sheets by

winding the same in a roll about the second rotational shaft:

a third rotational shaft configured to collect the other of the two sheets by

winding the same in a roll about the third rotational shaft; and

a tape ejection roller assembly outwardly ejecting individual tapes of the

plurality of tapes from which the two sheets are removed;

a tape cassette driver driving the tape cassette, the tape cassette driver including:

Application No.: 10/585,411 Docket No.: 3566-0113PUS1

Reply to Office Action of July 6, 2010 Page 5 of 13

- a first driving gear;
- a second driving gear configured to rotate the second rotational shaft; and
- a third driving gear configured to rotate the third rotational shaft,
- wherein the rotation of the first driving gear drives the rotation of the second and third driving gears; and

the tape supplier further includes a support frame disposed between the tape cassette and the tape cassette driver.

24. (Previously Presented) The tape supplier according to claim 23, wherein the tape ejection roller includes a tape feeding roller, and

wherein the tape cassette driver includes a fourth driving gear configured to rotate the tape feeding roller.

- 25. (Previously Presented) A tape supplier comprising:
- a tape cassette having a tape roll with a plurality of tapes inserted between two sheets, the tape cassette including:
 - a first rotational shaft rotatably supporting the tape roll;
 - a second rotational shaft configured to collect one of the two sheets by winding the same in a roll about the second rotational shaft;
 - a third rotational shaft configured to collect the other of the two sheets by winding the same in a roll about the third rotational shaft; and
 - a tape ejection roller assembly outwardly ejecting a tape from which the two sheets are removed;
- a tape cassette driver driving the tape cassette, the tape cassette driver being configured to drive the second and third rotational shafts; and
- a box for holding the tape roll, the box being located in the tape cassette, the box including:
 - a first fork pipe having a through hole at the center, the first fork pipe supporting the tape roll,
 - a second fork pipe having a through hole at the center, the second fork pipe having an end of one of the two sheets fixed thereto; and

Application No.: 10/585,411 Docket No.: 3566-0113PUS1
Reply to Office Action of July 6, 2010 Page 6 of 13

a third fork pipe having a through hole at the center, the third fork pipe having an end of the other of the two sheets fixed thereto,

wherein the box includes a through hole corresponding to each of the first, second, and third fork pipes such that the first, second and third rotational shafts extend therethrough and are received in the corresponding through hole of the first, second, and third fork pipes, respectively.